

## **CERVAVAC® Indications**

- CERVAVAC® helps protect individuals ages 9 to 26 against the following diseases caused by four types of HPV: cervical, vaginal, and vulvar cancers in females, anal cancer, and genital warts in both males and females
- CERVAVAC® helps protect against 4 types of HPV: 6, 11, 16, 18.
- Types 16 and 18 are the cause of most cervical cancers globally (more than 70%).
- These types of HPV also cause most anal cancers, and some genital cancers.
- HPV types 6 and 11 cause around 90% of genital warts.

**CERVAVAC® is indicated in girls and women 9 through 26 years of age for the prevention of the following diseases caused by Human Papillomavirus (HPV) types, included in the vaccine:**

- Cervical, vulvar, vaginal, and anal cancer caused by HPV types 16 and 18
- Genital warts (condyloma acuminata) caused by HPV types 6 and 11

And the following precancerous or dysplastic lesions caused by HPV types 6, 11, 16, and 18:

- Cervical intraepithelial neoplasia (CIN) grade 2/3 and Cervical adenocarcinoma in situ (AIS)
- Cervical intraepithelial neoplasia (CIN) grade 1
- Vulvar intraepithelial neoplasia (VIN) grade 2 and grade 3
- Vaginal intraepithelial neoplasia (VaIN) grade 2 and grade 3
- Anal intraepithelial neoplasia (AIN) grades 1, 2, and 3

**CERVAVAC® is indicated in boys and men 9 through 26 years of age for the prevention of the following diseases caused by HPV types included in the vaccine:**

- Anal cancer caused by HPV types 16 and 18
- Genital warts (condyloma acuminata) caused by HPV types 6 and 11

And the following precancerous or dysplastic lesions caused by HPV types 6, 11, 16, and 18:

- Anal intraepithelial neoplasia (AIN) grades 1, 2, and 3

